



STORMSHIELD



MID-SIZE ORGANIZATIONS

BUSINESS CONTINUITY IN COMPLEX ARCHITECTURES

Stormshield SN700

NETWORK SECURITY | ENDPOINT SECURITY | DATA SECURITY

Stormshield SN700

THE SECURITY SOLUTION IDEAL FOR SMALL BUSINESSES & LARGE AGENCIES WITH COMPLEX ARCHITECTURES.



PROTECT YOUR BUSINESS FROM THE MOST SOPHISTICATED THREATS

Based on several behavior detection methods and built directly into the core of our products, the intrusion prevention system (IPS) guarantees effective protection from zero-day threats while maintaining high-throughput performance.



RESTRICT INAPPROPRIATE USE WITH APPLICATION CONTROL

The application control function on Stormshield Network Security appliances makes it possible to curb the use of dangerous applications or those unrelated to work. It is based on a qualitative approach that favors the integration of applications that are truly relevant to corporations and their core business.



EQUIP YOURSELF WITH A SIMPLE YET POWERFUL VULNERABILITY DETECTION TOOL

In real time, detect vulnerabilities on workstations and servers on the network and apply adapted protection in a single click.



MANAGE WINDOWS SERVICES GRANULARLY

Thanks to the filter feature on Windows services, you can manage the use of these services in your network more closely (Active Directory backup and restoration, IIS services, Microsoft Messenger, etc). By restricting which Windows services remain accessible, you will be able to protect your network from malware and security evasion techniques that exploit vulnerabilities on these services.



INCREASE YOUR VISIBILITY WITH CUSTOMIZABLE INTERACTIVE REPORTS

In one glance, you will be able to view essential information regarding your network activity and security events. By simply clicking on elements in these reports, which you can customize, you will be able to adapt your configuration easily.



MID-SIZE BUSINESSES AND LARGE AGENCIES

Ensure the continuity of your business

All protection technologies needed for responding to the most sophisticated attacks are embedded in the entire range.

Stay in control of your internet usage

Thanks to advanced filtering and the management of quality of service, you can define the way you want the internet to be used.

Connect coworkers

With the virtual private network, (IPSec and SSL VPN), coworkers get secure access to corporate resources regardless of where they are and from any terminal.

Save time

The administration interface on Stormshield Network Security products has been designed to be ergonomic and intuitive in order to assist you in securing your corporate network quickly and with zero errors.

.....

USAGE CONTROL

Firewall/IPS/IDS mode, identity-based firewall, application firewall, Microsoft Services Firewall, detection and control of the use of mobile terminals, application inventory (option), vulnerability detection (option), URL filtering (embedded database or cloud mode), transparent authentication (Active Directory SSO Agent, SSL, SPNEGO), multi-user authentication in cookie mode (Citrix- TSE), global/local security policy.

PROTECTION FROM THREATS

Intrusion prevention, protocol scan, application inspection, protection from denial of service attacks (DoS), protection from SQL injections, protection from Cross-Site Scripting (XSS), protection from malicious Web2.0 code and scripts, Trojan detection, detection of interactive connections (botnets, Command&Control), protection from data evasion, Advanced management of fragmentation, automatic quarantining in the event of an attack, Antispam and antiphishing: reputation-based analysis —heuristic engine, embedded antivirus (HTTP, SMTP, POP3, FTP), detection of unknown malware via sandboxing, SSL decryption and inspection, VoIP protection (SIP), collaborative security: adaptation of the filter policy according to security events or detected vulnerabilities.

CONFIDENTIALITY

Site-to-site or nomad IPSec VPN, remote SSL VPN access in multi-OS tunnel mode (Windows, Android, iOS, etc), SSL VPN agent configurable centrally (Windows), Support for Android/iPhone IPSec VPN.

NETWORK - INTEGRATION

IPv6, NAT, PAT, transparent (bridge)/routed/hybrid modes, dynamic routing (RIP, OSPF, BGP), multi-level internal or external PKI management, internal LDAP directory, explicit proxy, policy-based routing (PBR), QoS management, DHCP client/relay/server, NTP client, DNS proxy-cache, http proxy-cache, high availability, WAN link redundancy.

MANAGEMENT

Web-based management interface, object-oriented security policy, real-time configuration help, firewall rule counter, more than 15 installation wizards, embedded log reporting and analysis tools, interactive and customizable reports, sending to syslog, SNMP v1, v2, v3 agent, automated configuration backup.

Technical specifications

PERFORMANCE (Gbps)*

| | |
|-------------------------------------|-----|
| Firewall | 2 |
| Firewall + IPS (1518 byte frames) | 2 |
| Firewall + IPS (1 Mbyte HTTP files) | 1.2 |

NETWORK CONNECTIVITY

| | |
|----------------------------|---------|
| Concurrent connections | 600,000 |
| New connections per second | 22,000 |
| Max number of dialups | 8 |
| Max number of bridges | 8 |
| 802.1Q VLAN (Max) | 256 |

VPN (Mbps)

| | |
|------------------|-----|
| IPSec throughput | 650 |
|------------------|-----|

HIGH AVAILABILITY (HA)

| | |
|----------------|---|
| Active/Passive | ✓ |
|----------------|---|

ANTIVIRUS (Mbps)

| | |
|-----------------|-----|
| HTTP throughput | 250 |
|-----------------|-----|

HARDWARE

| | |
|---|------------------------------|
| 10/100/1000 interfaces | 12 |
| Local storage | 120 GB |
| MTBF (years) | 9,2 |
| Racking | 1U - 19" |
| Height x Width x Depth (mm) | 44.5 x 485 x 310 |
| Weight | 4.3 kg (9.5 lbs) |
| Packaged Height x Width x Depth (mm) | 150 x 590 x 395 |
| Packaged weight | 5.6 kg (12.4 lbs) |
| Power supply (AC) | 110-240V 60-50Hz 3-1.5A |
| Power consumption | 230V 50Hz 77W 0.43A |
| Fan | 2 |
| Noise level | 55dbA |
| Thermal dissipation (max, BTU/h) | 263 |
| Operational temperature | 5° to 40°C (41° to 104°F) |
| Relative humidity, operating (without condensation) | 20% to 90% @ 40°C |
| Storage temperature | -30° to 65°C (-22° to 149°F) |
| Relative humidity, storage (without condensation) | 5% to 95% @ 60°C |

CERTIFICATIONS

| | |
|---------------------|------------|
| European directives | CE/CEM/ECC |
|---------------------|------------|

Non-contractual document. The features mentioned are those in version 1.

* Performance is measured in a laboratory and under conditions ideal for version 1. Results may vary according to test conditions and the software version.

**Option

For security with high added value



STORMSHIELD NETWORK VULNERABILITY MANAGER*

Arm yourself with a simple and powerful vulnerability detection tool that leaves no impact on your information system.

Vulnerability Management

Based on data passing through the appliance, Stormshield Network Vulnerability Manager makes an inventory of operating systems, applications used and their vulnerabilities. As soon as a vulnerability appears on your network, you will be kept informed.

Remediation

Stormshield Network Vulnerability Manager offers a set of dedicated reports as well as a real-time dashboard that allow you to stay in control of your deployment.



STORMSHIELD NETWORK EXTENDED WEB CONTROL*

Monitor how users surf the internet on your corporate network and optimize your bandwidth consumption by deploying an effective and high-performance URL filtering solution.

Prevention of web-based threats

Extended Web Control analyzes millions of requests in order to continuously evaluate the risk level of various websites and to block infected or malicious sites from being visited as soon as they are detected.

Advanced filtering for all

The Extended Web Control solution can be enabled on the entire range of Stormshield Network Security products. You can therefore benefit from an advanced filter solution regardless of the size of your company.



KASPERSKY ANTIVIRUS*

Protect yourself by getting equipped with the best antivirus protection solution.

Protection from threats

The Kaspersky antivirus solution on Stormshield Network Security appliances is not based merely on a system of malware signatures, but also integrates emulation mechanisms to identify malicious code proactively.

Peripheral protection

Applying an antivirus inspection on the traffic of all devices connected to the network and relying on a behavioral analysis technology similar to sandboxing, it allows the detection of even unknown attacks.

** Option*



STORMSHIELD

Phone

+33 9 69 32 96 29

The cost of a call may vary according to the country you are calling from and your telecoms operator.

WWW.STORMSHIELD.EU

Netasq

Parc Scientifique Haute Borne - Parc Horizon, Bat 6, Avenue de l'Horizon 59650 Villeneuve d'Ascq - FRANCE

Arkoon & Netasq © Copyright 2014